MIURA II



MIURA II: 12-GA and 20-GA, 3" stainless steel receiver, satin walnut

The over and under double trigger model is favorite of traditionalists. It's easier to quickly select which barrel to shoot first under hunting conditions. The Miura II standard can be had in three gauges (12, 20-GA and .410") in blue or stainless steel receiver. It has American walnut stock and forend, satin finishing, ventilated rib and a soft recoil pad. Chokes can be fixed or screw-in. The monobloc sides are highly polished and jeweled. All Miura II comes with mechanical extractors.



Machine turned monobloc



Ventilated rib



Soft recoil pad



The tang mounted safety is automatically engaged when the gun is opened.

STANDARD FEATURES CHOKE TUBES: IC&M 12 and 20/26"; M&F 12 and 20/28"; F&F 12/30". STOCK: American walnut, satin finish TRIGGERS: Double trigger SIGHTS: Brass bead OPTIONAL FEATURES

FEATURES



M

MIURA II - SATIN WALNUT

MIURA II - 12-GA, 20-GA, .410", 3" blued and satin walnut

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	OVERAL LENGTH	AVERAGE WEIGHT
				MIURA				
130	12	26″	Blued	Blued	Satin Walnut	Screw-in	42″	3,42 kg
136	12	28″	Blued	Blued	Satin Walnut	Screw-in	44"	3,42 kg
142	12	30"	Blued	Blued	Satin Walnut	Screw-in	47″	3,53 kg
156	20	26″	Blued	Blued	Satin Walnut	Screw-in	42″	3,14 kg
148	20	26″	Blued	Blued	Satin Walnut	Fixed	42″	3,14 kg
152	20	28″	Blued	Blued	Satin Walnut	Screw-in	44″	3,14 kg
367	12	28″	Stainless Steel	Blued	Satin Walnut	Fixed	44″	3,42 kg
369	20	28″	Stainless Steel	Blued	Satin Walnut	Screw-in	44″	3,14 kg
354	410	26″	Blued	Blued	Satin Walnut	Screw-in	42″	3,42 kg
623	410	26″	Blued	Blued	Satin Walnut	Fixed	42″	3,42 kg

Flush screw-in chokes tubes and wrench (IC&M for 12 and 20/26", M&F for 12 and 20/28", F&F for 12/30")





MIURA I COMPETITION



Miura I Competition over & under target gun is nicely balanced, quick handling and with stylish lines. The Miura I Competition features an adjustable comb stock with palm swell in both left and right-hand. It can be had in 12 and 20-GA, all with ported barrels, gold single selective trigger and automatic ejectors.

Miura I Competition has screw-in-chokes and manual safety.



The fully adjustable comb in the Miura I Competition allows you to custom fit the stock to your personal preference.



The distinctive palm swell for both, right and left-handed shooters gives the Miura I Competition a real custom feel. With the adjustable comb set to your personal preferences and your hand wrapped around the palm swell, you'll swear the Miura I Competition was made for you.

FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M (2F, 1M, 1IC, 1IM) STOCK: American walnut, high gloss available in left or right-handed with fully adjustable comb BARRELS: Fully ported 30" TRIGGERS: Single selective trigger SIGHTS: Brass bead and mid bead OPTIONAL FEATURES CHOKE TUBES: Extended C, IC, M, IM and F



MIURA I COMPETITION

MIURA I COMPETITION 12-GA or 20-GA, 3" high gloss walnut

Miura I's receiver, like other quality guns, locks up by using tapered cones that engage recess machined into the monobloc. This provides a solid and safe lockup every time and allows the gun to be opened and closed smoothly and easily. Elegant in style, the smooth, blued receiver sports a high-polish finish. The safety, positioned on the tang, also serves as a barrel selector.

The Miura I Competition's attractive stock is made out of American walnut. Palm swells are featured on all pistol grips to accommodate either right-or left-hand shooters, so be sure to stipulate your shooting style when ordering.

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	OVERAL LENGTH	AVERAGE WEIGHT
			N	IURA I CO	OMPETITION			
341	12	30"	Blued	Blued	Gloss Poly / Adj Comb	Screw-in	47″	3,54 kg
342	20	30″	Blued	Blued	Gloss Poly / Adj Comb	Screw-in	47″	3,32 kg
343	12	30″	Blued	Blued	Gloss Poly / Adj Comb	Screw-in	47″	3,54 kg
344	20	30"	Blued	Blued	Gloss Poly / Adj Comb	Screw-in	47″	3,32 kg



Ported barrels are standard on the Miura I Competition. Barrel porting lets gas escape through the side of the barrel to help keep barrel climb to a minimum for a quick second shot.

Flush and extended, screw-in-choke tubes in 12 and 20-GA are available in C, IC, M, IM, and F.



MIURA I SUPREME AND LUXE

MIURA I SUPREME 12-GA and 20-GA, 3" high gloss walnut

From the standard Miura I field gun to the elegant Miura I Supreme, there's something for everyone in the Miura I line. All Miuras feature a blued or polished stainless steel receiver and jeweled monobloc sides. Recesses on the monobloc engage trunnion pins on both sides of the receiver and pivot on them to allow smooth, solid and secure opening and closing.

The Miura I Supreme comes with American walnut stock and forend with soft rubber recoil pad. The Miura I Supreme is available in Monte Carlo style stock, screw-in choke tubes. The Miura I Luxe comes with 5 extended screw-in choke tubes: IC&M, F, IM and CL. The single selective trigger and automatic ejectors make the Supreme and Luxe perfectly suited for competition or hunting.



The Miura I Supreme comes with auto-ejectors for quick ejection of empty shells.

FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M, M&F, F&F Miura I Luxe: Extended choke tubes: IC&M, F, IM and CL STOCK: High gloss American walnut available in Monte Carlo style TRIGGER: Gold single selective trigger SIGHTS: Brass bead and middle bead





SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	OVERAL LENGTH	AVERAGE WEIGHT	
	MIURA I SUPREME AND LUXE								
258	12	26″	Blued	Blued	High Gloss Walnut	Screw-in	42″	3,32 kg	
260	12	28″	Blued	Blued	High Gloss Walnut	Screw-in	44″	3,36 kg	
249	12	28″	Blued	Blued	High Gloss Walnut	Screw-in	44″	3,36 kg	
334	12	28″	Stainless	Blued	High Gloss Walnut	Screw-in	44″	3,36 kg	
247	12	28″	Stainless	Blued	High Gloss Walnut	Screw-in	44″	3,36 kg	
252	12	30"	Blued	Blued	High Gloss Walnut	Screw-in	47″	3,56 kg	
262	12	30"	Blued	Blued	High Gloss Walnut	Screw-in	47″	3,56 kg	
253	12	30"	Stainless	Blued	High Gloss Walnut	Screw-in	47″	3,56 kg	
257	20	24″	Blued	Blued	High Gloss Walnut	Screw-in	40″	3,04 kg	
259	20	26″	Blued	Blued	High Gloss Walnut	Screw-in	42″	3,08 kg	
261	20	28″	Blued	Blued	High Gloss Walnut	Screw-in	44″	3,13 kg	
345	20	28″	Blued	Blued	High Gloss Walnut	Screw-in	44″	3,13 kg	

COMMON SPECIFICATIONS:

Chokes: IC&M, model 249, 334 and 345 M&F and Model 252 F&F. Model 262 IC&M -1F,1IM AND 1IC (flush) Sights: Brass and mid-bead / Item nr.262 – RED OR BRASS



Flush screw-in chokes tubes are available in IC&M for 12 and 20/26", M&F for 12 and 20/28", F&F for 12/30" and wrench.



MIURA I SPECIAL

 $\mbox{MIURA I SPECIAL - } 12\mbox{-}GA, 20\mbox{-}GA, 28\mbox{-}GA, .410", 3" polished stainless steel, satin Walnut$

Miura I Special in standard model comes in 12, 20-GA, 28-GA and .410", features polished or matte stainless steel receiver and blued barrel, ventilated rib, non-selective single trigger. It is available with screw-in-chokes (F&F fixed for .410" only). The stocks are available in Monte Carlo style. The barrels utilize extractor or auto-ejectors.

MIURA I SPECIAL - 12-GA, 20-GA, 3" matte stainless steel, satin walnut

STANDARD FEATURES CHOKE TUBES: IC&M, M&F Miura I Special 410/26": F&F fixed Miura I Special: items 475, 472 and 525 with extended choke tubes: IC&M, F STOCK: American walnut, satin / Available in Monte Carlo style. TRIGGER: Single blue trigger SIGHTS: Brass bead

FEATURES OPTIONAL FEATURES



Reality

MIURA I SPECIAL

MIURA I SPECIAL - 12-GA, 20-GA, 3" polished stainless steel, satin walnut, Monte Carlo style

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	OVERAL LENGTH	AVERAGE WEIGHT	
MIURA I SPECIAL									
413	12	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	42″	3,32 kg	
468	12	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	42″	3,32 kg	
450	12	26″	Matte Stainless	Blued	Satin Walnut	Screw-in	42″	3,32 kg	
414	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,36 kg	
365	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,36 kg	
366	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,36 kg	
451	12	28″	Matte Stainless	Blued	Satin Walnut	Screw-in	44″	3,36 kg	
472	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,36 kg	
415	20	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	42″	3,08 kg	
370	20	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	42″	3,08 kg	
452	20	26″	Matte Stainless	Blued	Satin Walnut	Screw-in	42″	3,08 kg	
475	20	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	42″	3,08 kg	
525	20	24″	Polished Stainless	Blued	Satin Walnut	Screw-in	40″	3,04 kg	
416	20	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,13 kg	
443	20	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	44″	3,13 kg	
453	20	28″	Matte Stainless	Blued	Satin Walnut	Screw-in	44″	3,13 kg	
473	410	26″	Polished Stainless	Blued	Satin Walnut	Fixed	42″	3,42 kg	

SPECIFICATIONS

COMMON SPECIFICATIONS: Chokes: IC&M, Model 365, 366, 451, 443, 453: M&F and model 473: F&F. model 473, 472 and 525: IC&M -1F (extended) model: 474 AND 479: IC&M – 1F, 1IC, CL (flush)

(

The Miura I Special comes with extractors (Miura I Special model – items 468, 365, 366, 370, 443, 475, 472, 473, 525 comes with auto-ejectors).



MIURA I

MIURA I LONGFOWLER - 12-GA, 3" matte blue, black walnut

Miura I Standard comes in four gauges (12, 20-GA, 28-GA and .410") and features a blued or matte blued receiver, screw in or fixed choke, ventilated rib, single trigger and American walnut stock and forend.

There are two options with extractor or ejector model for 12-GA and 20-GA as the shooter preference. The Miura I Youth, featuring .410" and 20-GA, allows young shooters and ladies to get in on the action.

MIURA I - 12-GA, 20-GA, .410", 3" extractor (auto-ejectors for 12-GA and 20-GA, only), satin walnut

FEATURES

STANDARD FEATURES CHOKE TUBES SCREW IN: IC&M, M&F, F&F (IC&M, F, IM,CL) FIXED: IC&M, M&F, F&F Miura I Longfowler: Extended choke tubes: IC&M STOCK: American walnut, high gloss, satin and black available in Monte Carlo style TRIGGER: Single and blue (matte blue) trigger SIGHTS: Brass bead OPTIONAL FEATURES CHOKE TUBES: Extended C, IC, M, IM and F (12 and 20-GA only)



INIURA I MURA I YOUTH - 20-GA or .410", 3" stin walnut

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGI WEIGHT
					MIURA I				
165	12	26"	Blued	Blued	Satin Walnut	Screw-in	Manual	42″	3,42 kg
171	12	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	44″	3,42 kg
168	12	28″	Blued	Blued	Satin Walnut	Fixed	Manual	44″	3,42 kg
179	12	30"	Blued	Blued	Satin Walnut	Screw-in	Manual	47″	3,53 kg
176	12	30"	Blued	Blued	Satin Walnut	Fixed	Manual	47″	3,53 kg
185	20	26″	Blued	Blued	Satin Walnut	Screw-in	Manual	42″	3,20 kg
189	20	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	44″	3,20 kg
332	20	22″	Blued	Blued	Satin Walnut	Screw-in	Manual	36 1/2"	2,97 kg
339	410	22″	Blued	Blued	Satin Walnut	Fixed	Manual	36 1/2"	2,85 kg
352	410	26″	Blued	Blued	Satin Walnut	Fixed	Manual	42″	3,10 kg
340	410	26″	Blued	Blued	Satin Walnut	Fixed	Manual	42″	3,10 kg
608	12	30"	Matte Blue	Matte Blue	Satin Walnut	Extended	Manual	47″	3,53 kg
194	12	26″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	42″	3,42 kg
195	12	28″	Blued	Blued	Satin Walnut	Fixed	Auto-Ejector	44″	3,42 kg
196	12	28″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	44″	2,42 kg
630	12	28″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	44″	3,42 kg
197	12	30"	Blued	Blued	Satin Walnut	Fixed	Auto-Ejector	47″	3,53 kg
198	12	30"	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	47″	3,53 kg
449	12	30"	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	47″	3,53 kg
200	20	26″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	42″	3,20 kg
202	20	28″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	44″	3,14 kg
629	20	28″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	44″	3,14 kg
333	20	30″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	47″	3,25 kg

SPECIFICATIONS

As your choice the Miuras I model comes with auto-ejectors for quick ejection of empty hulls and a faster reload of fresh shell.





MIURA I OUTBACK

MIURA I OUTBACK - 12-GA, 3" satin walnut

Miura I Outback, this functional over & under has 20" barrels making the gun easy to maneuver and quick to shoulder, whether it's brought to play in tight cover or while protecting your home. Miura I Outback comes with fixed iron sights.

The Outback feature a box-lock type over & under action completes with machineturned monobloc sides. Recesses on either side of the receiver engages trunnion pins, on which the barrel pivot, allowing for smooth, solid and secure opening and closing. The barrels utilize extractor or ejectors. Optimum utility is achieved with the Outback's open sights allowing quick target acquisition and precise aim. Screw-in-choke tubes are included with each Outback.

The Outback comes in either 12 or 20-GA, features 3" chambers and is offered in a variety of finishes. Whether it's traditional blued steel with American walnut stock, or polished nickel with a black or satin walnut stock, there are few needs that the Outback won't handle reliably and efficiently.

FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M, ICMF (IC&M, F, IM,CL) STOCKS: American walnut, satin or black SIGHTS: Open rear and fixed blade front OPTIONAL FEATURES CHOKE TUBES: Both flush and extended chokes available in C, IC, M, IM and F



MIURA I OUTBACK MIURA I OUTBACK - 12-GA, 3" satin walnut, high-polish blue MIURA I OUTBACK - 12-GA, 3" black walnut, polished nickel MIURA I OUTBACK - 20-GA, 3" black walnut, polished nickel MIURA I OUTBACK - 20-GA, 3" satin walnut

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				МІ	RA I OUTBACK				
335	12	20″	Nickeled	Nickeled	Black Walnut	Screw-in	Manual	36"	3,20 kg
192	12	20″	Blued	Blued	Satin Walnut	Screw-in	Auto-Ejector	36″	3,20 kg
193	12	20″	Nickeled	Nickeled	Black Walnut	Screw-in	Auto-Ejector	36″	3,20 kg
438	20	20″	Nickeled	Nickeled	Black Walnut	Screw-in	Manual	36″	3,20 kg
336	12	20″	Blued	Blued	Satin Walnut	Screw-in	Manual	36″	3,20 kg
326	20	20″	Blued	Blued	Satin Walnut	Screw-in	Manual	36″	3,20 kg

The Outback utilizes a box-lock type over & under action with jeweled monobloc sides.



Sturdy fixed iron sights attached to the top barrel.





MIURA I DEFENSE 20" and 24"

MIURA I DEFENSE - 12-GA or 20-GA, 3" matte black walnut

The Miura I defense model, in 20" and 24" is outfitted with a green, fiber-optic front sight and comes with three picatinny rail accessory mounts: one on upper rib for red-dot sights and two rails on the sides of the barrels for attaching targeting lasers or tactical lights. All metal surfaces are finished in matte blue and come complete with non-reflective matte black walnut stocks and forends. Miura I defenses comes in IC&IC choke fixed, 3" chambers and a box-lock type, over & under action. Extractors lift empty hulls from the chamber for easy removal.



Green, fiber-optic front sight.



Miura I defense comes with extractors.



Miura I Defense comes with three picatinny rails for accessory mounts: one on upper rib for red dot sights and two on the sides of the barrels and will accommodate targeting lasers or tactical lights.

FEATURES

STANDARD FEATURES CHOKE TUBES: Fixed IC&IC STOCKS: Matte black-finished SIGHTS: Fiber optic front sight





SPECIFICATIONS


ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				мілі	RA I DEFENSE				
621	12	20"	Matte Blue	Matte Blue	Matte Black Walnut	Fixed	Manual	36"	3,23 kg
633	12	24″	Matte Blue	Matte Blue	Matte Black Walnut	Fixed	Manual	40"	3,30 kg
622	20	20"	Matte Blue	Matte Blue	Matte Black Walnut	Fixed	Manual	36″	3,00 kg

Miura I defense is a box lock o/u shotgun. The monobloc is jeweled for smooth operation.



Miura I Defense comes with green sight atop the of barrel.





English-style grip stock.



All of A/681 double-barrel models come standard with extractors.



A/681 Supreme, A/681 STF and Longfowler come with a single trigger.

A/681 SUPREME: 12-GA or 20-GA, 3" blue, gold single trigger, high gloss walnut

FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M (12/30"- F&F) STOCKS: American walnut – high gloss TRIGGERS: Gold single trigger SIGHTS: Brass bead

OPTIONAL FEATURES CHOKE TUBES: both flush and extended chokes available in IC, M, and F





SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH		BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT		
	A/681 SUPREME										
116	12	26″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	42″	3,17 kg		
117	12	28″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	44″	3,37 kg		
107	12	28″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	44″	3,37 kg		
118	12	30"	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	47″	3,44 kg		
119	20	24″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	40″	3,13 kg		
120	20	26″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	42″	3,24 kg		
121	20	28″	Blued	Blued	Gloss Poly Walnut	Screw-in	Manual	44″	3,25 kg		
666	12	30"	Matte Blue	Matte Blue	Black Synthetic	Screw-in	Manual	47″	3,45 kg		
					A/681 STF						
572	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	44″	3,32 kg		
573	20	26″ I	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	3,27 kg		



The receiver is precision machined to exacting tolerances to ensure that they will hold up year-afteryear no matter how much it's used. A/681 is even fitted with a removable firing pin bushing to protect the receiver from firing pin wear, a feature found on the world's best side-by-side. Side-by-sides feature a tang-mounted safety switch, which is automatically engaged when the gun is broken open.





A/681 SUPREME IN 20"

A/681 SUPREME - 12-GA or 20-GA, 3" blue, gold single trigger, satin walnut

The side by side shotgun in single trigger model, originally developed as traditional double-trigger models, the single trigger models with gold-plated triggers provide a competitive edge. A/681 is available in blue and blued finish with a corrosion-resistant, stainless steel receiver. The single trigger models in 12 and 20-GA are offered in traditional satin and high gloss walnut stocks and forends, with rubber recoil pads.



All of A/681 double-barrel models come standard with extractors.



Single trigger models feature a gold-plated single trigger for quick follow-up shots.

FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M flush and IC&M, F extended STOCKS: American walnut – high gloss and satin TRIGGERS: Gold single trigger SIGHTS: Brass bead



A/681 SUPREME IN 20"

A/681 SUPREME SS/B - 12-GA or 20-GA, 3" polished stainless receiver, gold single trigger, high gloss walnut

A/681 SS/B - 12-GA or 20-GA, 3" polished stainless receiver, gold single trigger, satin walnut

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				A/e	81 SUPREME				
482	12	20″	Blued	Blued	Satin Walnut	Fixed	Manual	36"	3,05 kg
586	12	20″	Blued	Blued	Satin Walnut	Screw-in	Manual	36″	3,13 kg
483	20	20″	Blued	Blued	Satin Walnut	Fixed	Manual	36"	3,05 kg
				A/681	SUPREME SS/B				
484	12	20″	Polished Stainless	Blued	Gloss Poly Walnut	Screw-in	Manual	36″	3,05 kg
485	20	20″	Polished Stainless	Blued	Gloss Poly Walnut	Screw-in	Manual	36"	3,13 kg
574	12	20″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	36"	3,05 kg
575	20	20″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	36"	3,13 kg

A/681 Supreme comes with improved cylinder, modified flush and full extended screw-in choke tubes.



A/681 DEFENSE

A/681 DEFENSE - 12-GA or 20-GA, 3" single trigger, matte black synthetic stock and forend

The A/681 single trigger model, in 20" and 24" are outfitted with a green, fiberoptic front sight and come standard with two picatinny rail accessory mounts: one on upper rib for red-dot sights and a second factory-installed rail under the barrels for attaching targeting lasers or tactical lights. All metal surfaces are finished in matte blue and come complete with non-reflective matte black synthetic stocks and forends. A/681 defense with their traditional break-actions and short efficient designs are easy to load and quick to deploy.



A/681 defense comes with a single trigger.



A/681 Defense in 20",24" barrels are ported to keep muzzle climb down and fitted with a green, fiber-optic front sight for fast, sure target acquisition in low-light conditions.



A/681 Defense come standard with two picatinny rails for accessory mounts: the front picatinny rail is factory-installed on the underside of the barrels and will accommodate targeting lasers or tactical lights.

STANDARD FEATURES CHOKE TUBES: IC&IC fixed STOCKS: Matte black synthetic TRIGGERS: Single trigger SIGHTS: Fiber optic front sight

FEATURES



SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				A/6	81 DEFENSE				
496	12	20"	Matte Blue	Matte Blue	Matte Black Synthetic	Fixed	Manual	36"	3,31 kg
631	12	24″	Matte Blue	Matte Blue	Matte Black Synthetic	Fixed	Manual	40″	3,38 kg
497	20	20"	Matte Blue	Matte Blue	Matte Black Synthetic	Fixed	Manual	36″	3,33 kg



A/680

A/680 - 12-GA, 3" nickeled, black wood

A/680 come plain or fancy, with traditional double triggers. Stocked with American walnut, A/680 features either a pistol or straight English-style grip stock. It is available in field grade and up. There's even a youth model with 13" LOP. As option 12-GA in 28" is made in polished nickel and black wood. The A/680 Specials are made with blue barrels on polished stainless receiver. The A/680 is as handsome as it is affordable.



Side by sides feature a tang-mounted safety which is automatically engaged when the gun is broke open.



All A/680, double-barrel models come standard with extractors.



FEATURES

STOCKS: American walnut – satin English stock style is available for A/680 20/24", 410/24" and A/680 Special 12-GA, 20-GA and 28-GA

OPTIONAL FEATURES CHOKE TUBES: Flush available in CL, IC, M, IM and F (12 and 20-GA only)

STANDARD FEATURES CHOKE TUBES: 28/28" (IC&M and M&F) Fixed: (12/30", 28/28" and .410/26" F&F, Youth: 20/22"- IC&M and 410/22" F&F) TRIGGERS: Double trigger SIGHTS: Brass bead



SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
A/680									
54	12	26″	Blued	Blued	Satin Walnut	Screw-in	Manual	42″	3,17 kg
58	12	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	44"	3,32 kg
61	12	30"	Blued	Blued	Satin Walnut	Screw-in	Manual	47″	3,45 kg
78	20	26″	Blued	Blued	Satin Walnut	Screw-in	Manual	42″	3,27 kg
80	20	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	44"	3,32 kg
605	20	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	44"	3,32 kg
76	20	24″	Blued	Blued	Satin Walnut	Screw-in	Manual	40″	3,13 kg
57	12	26″	Blued	Blued	Satin Walnut	Fixed	Manual	44″	3,32 kg
600	12	28″	Blued	Blued	Satin Walnut	Fixed	Manual	44"	3,32 kg
59	12	28″	Nickeled	Nickeled	Black Walnut	Fixed	Manual	44″	3,32 kg
60	12	28″	Blued	Blued	Satin Walnut	Fixed	Manual	47″	3,45 kg
79	20	30"	Blued	Blued	Satin Walnut	Fixed	Manual	44″	3,32 kg
83	28	28″	Blued	Blued	Satin Walnut	Screw-in	Manual	42″	2,90 kg
84	28	26″	Blued	Blued	Satin Walnut	Screw-in	Manual	44″	3,04 kg
98	410	26″	Blued	Blued	Satin Walnut	Fixed	Manual	42″	3,19 kg
53	12	26″	Blued	Blued	Satin Walnut	Fixed	Manual	42″	3,17 kg
77	20	26″	Blued	Blued	Satin Walnut	Fixed	Manual	42″	3,27 kg
				A/0	680 YOUTH				
271	20	22″	Blued	Blued	Satin Walnut	Fixed	Manual	36" 1/2	3,12 kg
272	410	22″	Blued	Blued	Satin Walnut	Fixed	Manual	36" 1/2	2,99 kg
				A/6	80 SPECIAL				
234	12	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	3,17 kg
458	12	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	3,17 kg
460	20	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	3,27 kg
100	20	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	3,27 kg
459	20	24"	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	40″	3,13 kg
102	20	24″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	40″	3,13 kg
101	28	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	2,90 kg
461	28	26″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	42″	2,90 kg
478	12	28″	Polished Stainless	Blued	Satin Walnut	Screw-in	Manual	44″	3,32 kg

 \bigcirc



A/680 LUXE



The classical blued receiver and barrels are a favorite of traditionalists, while more progressive shooters reach for the stainless receiver and its corrosion resistance. The polished, nickel-plated model, quite the rage in frontier days, is still eye-catching at the range. No matter which one you choose, you will have a fine firearm in your hands.

In 20" and 24" length barrel A/680 is available in 12, 20-GA and .410".



FEATURES

STANDARD FEATURES CHOKE TUBES: IC&M (fixed and screw-in-choke tube) STOCKS: American walnut – high gloss TRIGGERS: Double trigger SIGHTS: Brass bead OPTIONAL FEATURES CHOKE TUBES: Flush available in CL, IC, M, IM and F (12-GA only)



A/680 LUXE



SP	ECIFICATIONS
RECEIVER	BARREI

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				4	¥/680 LUXE				
274	12	24″	Blued	Blued	High Gloss Walnut	Screw-in	Manual	40"	3,09 kg
275	12	24″	Nickeled	Nickeled	High Gloss Walnut	Screw-in	Manual	40″	3,09 kg
276	12	24″	Polished Stainless	Blued	High Gloss Walnut	Screw-in	Manual	40"	3,09 kg
277	12	20"	Blued	Blued	High Gloss Walnut	Screw-in	Manual	36″	3,06 kg
278	12	20″	Nickeled	Nickeled	High Gloss Walnut	Screw-in	Manual	36″	3,06 kg
279	12	20"	Polished Stainless	Blued	High Gloss Walnut	Screw-in	Manual	36″	3,06 kg
280	20	20"	Blued	Blued	High Gloss Walnut	Screw-in	Manual	36″	2,97 kg
281	410	20"	Blued	Blued	High Gloss Walnut	Fixed	Manual	36″	3,02 kg
282	20	20"	Nickeled	Nickeled	High Gloss Walnut	Screw-in	Manual	36″	2,97 kg
283	410	20"	Nickeled	Nickeled	High Gloss Walnut	Fixed	Manual	36″	3,02 kg
284	20	20"	Polished Stainless	Blued	High Gloss Walnut	Screw-in	Manual	36"	2,97 kg
285	410	20″	Polished Stainless	Blued	High Gloss Walnut	Fixed	Manual	36″	3,02 kg



The 12 and 20-GA A/680 Luxe comes with screw-in chokes and wrench.



A/680 - 20"

A/680 - 12-GA, 3" blued, satin walnut

All three models are stocked with figured American walnut, fitted with a plate recoil pad. Available in blue, satin nickel or polish finished. The short-barreled A/680 is available in 12, 20-GA and .410". A/680 features either a pistol or straight English-style grip stock. It is available in field grade and up.



FEATURES

STANDARD FEATURES CHOKE TUBES: IC and M STOCK: IC&M fixed gloss poly, satin or black walnut SIGHTS: Brass bead.



SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				A/68	0 - 20″				
51	12	20"	Blued	Blued	Satin Walnut	Fixed	Manual	36"	3,06 kg
70	20	20"	Blued	Blued	Satin Walnut	Fixed	Manual	36"	2,97 kg
93	410	20"	Blued	Blued	Satin Walnut	Fixed	Manual	36"	3,02 kg
52	12	20"	Nickeled	Nickeled	Black Walnut	Fixed	Manual	36"	3,06 kg
71	20	20"	Nickeled	Nickeled	Black Walnut	Fixed	Manual	36"	2,97 kg
94	410	20"	Nickeled	Nickeled	Black Walnut	Fixed	Manual	36"	3,02 kg
405	12	20″	Matte Nickeled	Matte Nickeled	Satin Walnut	Fixed	Manual	36"	3,06 kg
103	12	20″	Matte Nickeled	Matte Nickeled	Satin Walnut ES	Fixed	Manual	36"	3,06 kg
406	20	20″	Matte Nickeled	Matte Nickeled	Satin Walnut	Fixed	Manual	36"	2,97 kg
104	20	20″	Matte Nickeled	Matte Nickeled	Satin Walnut ES	Fixed	Manual	36"	2,97 kg
325	410	20″	Matte Nickeled	Matte Nickeled	Satin Walnut	Fixed	Manual	36″	3,02 kg

An attractive trigger guard gives the A/680 a more refined appearance, with smooth curves that complement the double trigger.



A/680 DEFENSE

A/680 DEFENSE - 12-GA, 24", 3" double trigger, matte black synthetic

A/680 double trigger models, in 20" and 24" are outfitted with a green, fiberoptic front sight and come standard with two picatinny rail accessory mounts: one on upper rib for red-dot sights and a second factory-installed rail under the barrels for attaching targeting lasers or tactical lights. All metal surfaces are finished in matte blue and come complete with non-reflective matte black synthetic stocks and forends. A/680 defense with their traditional break-actions and short efficient designs are easy to load and quick to deploy.



A/680 defense comes with double trigger.



The A/680, A/681 Defenses in 20",24" barrels are ported to keep muzzle climb down and fitted with a green, fiber-optic front sight for fast, sure target acquisition in low-light conditions.

STANDARD FEATURES CHOKE TUBES: IC&IC fixed STOCKS: Matte black synthetic TRIGGERS: Double trigger SIGHTS: Fiber optic front sight

FEATURES



A/680 DEFENSE

A/680 DEFENSE - 20-GA, 20", 3" double trigger, matte black synthetic



SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				A/68	30 DEFENSE				
498	12	24″	Matte Blue	Matte Blue	Matte Black Synthetic	Fixed	Manual	40″	3,39 kg
499	20	20″	Matte Blue	Matte Blue	Matte Black Synthetic	Fixed	Manual	36″	3,30 kg

A/680, A/681 Defenses come standard with two picatinny rails for accessory mounts: the front picatinny rail is factory-installed on the underside of the barrels and will accommodate targeting lasers or tactical lights.



REUNA SINGLE BARREL

<code>REUNA CLASSIC</code> - 12-GA 2 $3\!\!\!/4''$, 20-GA 3", 28-GA 2 $3\!\!\!/4''$ and .410" 3" blued, satin hardwood

The Reuna Classic and Reuna AE bring together the robustness, modernity and simple handling of all Boito shotguns. These shotguns are available with an external hammer for traditional shooters. The Reuna Classic and Reuna AE come in blued finish and opening is by pulling rearward on the trigger guard and rotating the barrel downward. Both include a transfer bar bolt safety action, all Reuna Classic have extractors. Reuna AE has automatic ejectors for quick ejection of empty hulls.

Reuna Classic model in 12, 20, 28-GA, and .410" are offered in pistol style satin finished in hardwood stock and forend. Reuna Classic in 20-GA and .410" is available in English style stock and 13"LOP. Reuna AE in 12, 20-GA, .410" have Full fixed chokes, hardwood stocks with traditional satin finished. Both Reuna Classic and Reuna AE have rubber recoil pads to reduce recoil. Reuna Classic and Reuna AE in 12-GA are in 2 ³/₄ of chambers.



Reuna Classic uses extractors. Reuna AE comes with auto-ejectors for quick ejection of empty shells.



External hammer for traditional shooters. Transfer bar bolt safety action.



Opening system

FEATURES

STANDARD FEATURES CHOKE TUBES: Reuna Classic: M, F (28, and 410 in F fixed, only) Reuna AE: F fixed only. STOCKS: Satin hardwood SIGHTS: Brass bead



REUNA SINGLE BARREL

REUNA AE - 12-GA, 2 $\frac{3}{4}$, 20-GA 3" and .410", 3" blued, satin hardwood

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
				RE	UNA CLASSIC				
12	12	28″	Blued	Blued	Satin hardwood	Screw-in	Manual	44"	2,63 kg
19	12	30″	Blued	Blued	Satin hardwood	Screw-in	Manual	47″	2,65 kg
28	20	28″	Blued	Blued	Satin hardwood	Screw-in	Manual	44"	2,75 kg
31	28	28″	Blued	Blued	Satin hardwood	Fixed	Manual	44"	2,41 kg
399	410	24″	Blued	Blued	Satin hardwood	Fixed	Manual	40"	2,40 kg
42	410	26″	Blued	Blued	Satin hardwood	Fixed	Manual	42″	2,45 kg
					REUNA AE				
16	12	28″	Blued	Blued	Satin hardwood	Fixed	Manual	44"	2,63 kg
17	12	30″	Blued	Blued	Satin hardwood	Fixed	Manual	47″	2,65 kg
30	20	28″	Blued	Blued	Satin hardwood	Fixed	Manual	44"	2,88 kg
41	410	26″	Blued	Blued	Satin hardwood	Fixed	Manual	42″	2,45 kg

.

The sight is traditional in brass bead.



B/300 AND HIKER

B/300 - .410", 3" blued, satin hardwood

HIKER - .410", 3" blued, satin hardwood

These Pistol models are available with an external hammer and 12" length. The B/300 and Hiker come in blued finish and opening is by pulling rearward on the trigger guard and rotating the barrel downward. Both have a transfer bar for safety and have extractors only. They are called "snake gun", B/300 in .410" is offered in pistol style satin finished with walnut grips and full choke barrel. The Hiker comes with a satin finish hardwood in .410", full choke barrel.



Opening system



Transfer bar bolt safety action

SPECIFICATIONS

ITEM NUMBER	GAUGE	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	CHOKES	EXTRACTOR	OVERAL LENGTH	AVERAGE WEIGHT
					B/300				
7	410	12″	Blued	Blued	Satin hardwood	Fixed	Manual	16″	1,51 kg
					HIKER				
649	410	12″	Blued	Blued	Satin hardwood	Fixed	Manual	28″	1,89 kg

FEATURES

STANDARD FEATURES CHOKE TUBES: .410" in F fixed, only STOCKS: Satin hardwood SIGHTS: Brass bead



PUMP ACTION SHOTGUN

PUMP - 12-GA, 3", 24", 26", 28", 30" length (4+1 or 7+1 shots - using 2 ³/4" shells) synthetic stock and forend

The Pump Action shotguns is a no-nonsense gun built to be rugged and reliable in any condition.

The gun has dual extractors for positive extraction and feeding. The aircraft grade aluminum receiver makes for a light gun in 12-GA, 3" chambers.

Both guns can be had with light synthetic stock and forend or in the classic high gloss hardwood and all can be had with screw-in-choke tubes.

Capacity: 4+1 or 7+1 shots, 3".

3+1 or 6+1 shots, 3".



Aluminum receiver.



The safety conveniently located on the tang makes the gun easy to operate by both right hand and left hand shooters.

FEATURES

STANDARD FEATURES CHOKE TUBE: Full STOCKS: Hardwood or synthetic SIGHTS: Brass bead. OPTIONAL FEATURES CHOKE TUBES: for 24", 26", 28" or 30" available mod.





PUMP ACTION BLACK SHOTGUN



PUMP - 12-GA, 3", 24", 26", 28" and 30" (4+1 or 7+1 shots 2 ³/₄") polished nickel, w/retractable stock, pistol grip forearm, heat shield and sling swivels







Retractable stock

Pistol grip forearm

Heat shield

FEATURES

OPTIONAL FEATURES CHOKE TUBES: for 24", 28" and 30"- available in mod.

STANDARD FEATURES CHOKE TUBE: Full Stock: Black SIGHTS: Brass bead.



SPECIFICATIONS

ITEM NUMBER	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK IN HARDWOOD	SHOTS	RIB	CHOKES	AVERAGI WEIGHT
				PUMP ACTION				
206	24″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	-	Screw-in	2,92 kg
207	24″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	-	Screw-in	2,90 kg
613	24″	Matte Blue	Matte Blue	Black Synthetic	7 + 1	-	Screw-in	2,76 kg
614	24″	Matte Blue	Matte Blue	Black Synthetic	4 + 1	-	Screw-in	2,75 kg
208	24″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	Elevated	Screw-in	2,84 kg
209	24″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	Elevated	Screw-in	2,83 kg
212	26″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	-	Screw-in	2,90 kg
213	26″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	-	Screw-in	2,92 kg
615	26″	Matte Blue	Matte Blue	Black Synthetic	7 + 1	-	Screw-in	2,78 kg
616	26″	Matte Blue	Matte Blue	Black Synthetic	4 + 1	-	Screw-in	2,76 kg
214	26″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	Elevated	Screw-in	2,99 kg
501	26″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	Elevated	Screw-in	2,96 kg
219	28″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	Elevated	Screw-in	3,12 kg
226	28″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	Elevated	Screw-in	3,10 kg
217	28″	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	-	Screw-in	2,93 kg
218	28″	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	-	Screw-in	2,90 kg
617	28″	Matte Blue	Matte Blue	Black Synthetic	7 + 1	-	Screw-in	2,79 kg
618	28″	Matte Blue	Matte Blue	Black Synthetic	4 + 1	-	Screw-in	2,78 kg
222	30"	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	-	Screw-in	2,96 kg
223	30"	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	-	Screw-in	2,95 kg
619	30"	Matte Blue	Matte Blue	Black Synthetic	7 + 1	-	Screw-in	2,81 kg
620	30"	Matte Blue	Matte Blue	Black Synthetic	4 + 1	-	Screw-in	2,80 kg
502	30"	Matte Blue	Matte Blue	High Gloss Hardwood	4 + 1	Elevated	Screw-in	3,10 kg
224	30"	Matte Blue	Matte Blue	High Gloss Hardwood	7 + 1	Elevated	Screw-in	3,11 kg
			PUMP STOC	CK AND WOOD PISTO	OL GRIP			
504	26″	Matte Blue	Matte Blue	Gloss Poly	4 + 1	-	Screw-in	2,58 kg
505	26″	Matte Blue	Matte Blue	Gloss Poly	7 + 1	-	Screw-in	2,60 kg
506	28″	Matte Blue	Matte Blue	Gloss Poly	4 + 1	-	Screw-in	2,57 kg
507	28″	Matte Blue	Matte Blue	Gloss Poly	7 + 1	-	Screw-in	2,58 kg
508	30″	Matte Blue	Matte Blue	Gloss Poly	4 + 1	-	Screw-in	2,60 kg
509	30″	Matte Blue	Matte Blue	Gloss Poly	7 + 1	-	Screw-in	2,61 kg
			PUMP STOC	K AND RUBBER PIST	OL GRIP			
520	28″	Matte Blue	Matte Blue	Gloss Poly	7 + 1	-	Screw-in	2,58 kg
519	28″	Matte Blue	Matte Blue	Gloss Poly	4 + 1	-	Screw-in	2,57 kg
	PUMP W	//RETRACTABL	E STOCK, PISTO	OL GRIP FOREARM, HE	AT SHIELD	AND SLIN	G SWIVEL 3	
492	24″	Matte Blue	Matte Blue	Black	4 + 1	-	Screw-in	2,65 kg
493	24″	Matte Blue	Matte Blue	Black	7 + 1	-	Screw-in	3,70 kg
538	26″	Matte Blue	Matte Blue	Black	7 + 1	-	Screw-in	3,22 kg
537	26″	Matte Blue	Matte Blue	Black	4 + 1	-	Screw-in	3,20 kg
454	28″	Matte Blue	Matte Blue	Black	4 + 1	-	Screw-in	3,77 kg
371	28″	Matte Blue	Matte Blue	Black	7 + 1	-	Screw-in	3,78 kg
462	30″	Matte Blue	Matte Blue	Black	4 + 1	-	Screw-in	3,80 kg
511	30″	Matte Blue	Matte Blue	Black	7 + 1	-	Screw-in	3,81 kg
PUMI	P W/FOLDI	NG STOCK, PI	STOL GRIP FOR	EARM, HEAT SHIELD A		G SWIVEL 3	POLISHED N	
528	24"	Polished Nickel	Polished Nickel	Black	4 + 1	_	Screw-in	3,65 kg
529	24″	Polished Nickel	Polished Nickel	Black	7 + 1	-	Screw-in	3,70 kg
536	26″	Polished Nickel	Polished Nickel	Black	7 + 1	-	Screw-in	3,22 kg
535	26″	Polished Nickel	Polished Nickel	Black	4 + 1		Screw-in	3,22 kg
530	28″	Polished Nickel	Polished Nickel	Black	4 + 1	-	Screw-in	3,77 kg
531	28″	Polished Nickel	Polished Nickel	Black	7 + 1		Screw-in	3,78 kg
551		Polished Nickel	Polished Nickel	Black	4 + 1		Screw-in	3,80 kg
532	30″							

 \bigcirc

 \bigcirc



PUMP SECURITY SHOTGUN

PUMP LESS-LETHAL - 12-GA, 3", 20" length (4+1 or 7+1 shots 2 3/4")

There is even an optional security gun that police and military the world over reach when the chips are down and flawless tactical decisions. For "less-lethal" application the shotgun is available with a blaze orange synthetic stock and forend. The guns are available in polished or matte nickel finish, or black receiver and blued barrel. The trigger group is independent, easy to remove and fully interchangeable. To manual unload the magazine it is necessary to press the cartridge catch that is located on the left side of the loading gate.







FEATURES

STANDARD FEATURES CHOKE: CL – cylinder STOCK: Synthetic SIGHTS: Brass bead LESS-LETHAL: Blaze orange synthetic




PUMP SECURITY SHOTGUN



()

 \bigcirc







PUMP SECURITY SHOTGUN



FEATURES

STANDARD FEATURES CHOKE: CL - cylinder. SIGHTS: Brass bead



PUMP SECURITY SHOTGUN




FEATURES

STANDARD FEATURES CHOKE TUBES: CL - cylinder. Full (20" w / rubber pistol grip) STOCK: Hardwood, rubber / wood pistol grip. SIGHTS: Brass bead.



PUMP SECURITY SHOTGUN







 \bigcirc



Shotguns provided with choke tubes and wrench.



PUMP SECURITY SHOTGUN

SPECIFICATIONS

ITEM NUMBER	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK	SHOTS	CHOKES	AVERAGE WEIGHT
			PUMP SECU	JRITY SHOTGUN			
203	20″	Matte Blue	Matte Blue	Gloss Poly Hardwood	7 + 1	Cylinder	2,84 kg
227	20"	Matte Blue	Matte Blue	Gloss Poly Hardwood	4 + 1	Cylinder	2,83 kg
611	20"	Matte Blue	Matte Blue	Synthetic	7 + 1	Cylinder	2,67 kg
612	20"	Matte Blue	Matte Blue	Synthetic	4 + 1	Cylinder	2,66 kg
636	20"	Matte Blue	Matte Blue	Synthetic-Blaze Orange	7 + 1	Cylinder	2,66 kg
637	20″	Matte Blue	Matte Blue	Synthetic-Blaze Orange	4 + 1	Cylinder	2,66 kg

ITEM NUMBER	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK-BLACK RUBBER	SHOTS	CHOKES	AVERAGE WEIGHT
			PUMP W / RUBE	BER PISTOL GRIP			
539	14″	Matte Blue	Matte Blue	Pistol	4 + 1	Cylinder	2,59 kg
476	20"	Matte Blue	Matte Blue	Pistol	7 + 1	Screw-in	2,62 kg
521	20″	Matte Blue	Matte Blue	Pistol	4 + 1	Cylinder	2,61 kg
522	20″	Matte Blue	Matte Blue	Pistol	7 + 1	Cylinder	2,62 kg

ITEM NUMBER	BARREL LENGTH	RECEIVER FINISH	BARREL FINISH	STOCK IN HARDWOOD	SHOTS	CHOKES	AVERAGE WEIGHT
		PUM	IP W / STOCK AN	D WOOD PISTOL GR	IP		
503	20″	Matte Blue	Matte Blue	Gloss Poly	4 + 1	Cylinder	3,19 kg
554	20″	Matte Blue	Matte Blue	Gloss Poly	7 + 1	Cylinder	3,20 kg
	PUMP W / STOCK AND RUBBER PISTOL GRIP						
514	20"	Matte Blue	Matte Blue	Gloss Poly / Rubber	4 + 1	Cylinder	2,98 kg
515	20″	Matte Blue	Matte Blue	Gloss Poly / Rubber	7 + 1	Cylinder	3,00 kg
	PUMP W/RETRACTABLE STOCK, PISTOL GRIP FOREARM, HEAT SHIELD AND SLING SWIVEL 3						
486	14″	Matte Blue	Matte Blue	Black	4 + 1	Cylinder	3,60 kg
510	20″	Matte Blue	Matte Blue	Black	4 + 1	Cylinder	3,60 kg
518	20″	Matte Blue	Matte Blue	Black	7 + 1	Cylinder	3,69 kg
PUMP V	V/RETRACT	ABLE STOCK, PIST	OL GRIP FOREARN	I, HEAT SHIELD AND SI	LING SWIVE	L 3 POLISHE	D NICKEL
526	20″	Polished Nickel	Polished Nickel	Black	4 + 1	Cylinder	3,60 kg
527	20″	Polished Nickel	Polished Nickel	Black	7 + 1	Cylinder	3,69 kg
	PUMP W / RETRACTABLE STOCK (BLACK)						

				• •			
512	20″	Matte Blue	Matte Blue	Black	4 + 1	Cylinder	3,10 kg
513	20″	Matte Blue	Matte Blue	Black	7 + 1	Cylinder	3,30 kg
		PUI	MP W / RETRACTAI	BLE STOCK (BLAC	:к)		
516	20″	Polished Nickel	Polished Nickel	Black	4 + 1	Cylinder	3,10 kg
517	20″	Polished Nickel	Polished Nickel	Black	7 + 1	Cylinder	3,30 kg



ACESSORIES FOR SHOTGUNS

CHOKE TUBE



Choke Tube Flush

Choke Tube Extended

 \bigcirc

 \bigcirc



SPECIFICATIONS

ITEM NUMBER	GAUGE	ТҮРЕ
СН	ЮКЕ ТИВЕ	WRENCHES
33210	12	Wrenches
33211	20	Wrenches
	сноке ти	BE FLUSH
33200	12	Full
33201	12	Improved Modified
33202	12	Modified
33203	12	Improved Cylinder
33204	12	Cylinder
33205	20	Full
33206	20	Improved Modified
33207	20	Modified
33208	20	Improved Cylinder
33209	20	Cylinder
Cŀ	IOKE TUBE	EXTENDED
33192	12	Full
33193	12	Improved Modified
33194	12	Modified
33195	12	Improved Cylinder
33196	12	Cylinder
39197	20	Full
39198	20	Improved Modified
39199	20	Modified
39200	20	Improved Cylinder
39200	20	Cylinder